

**Technical Information**  
**Material Safety Data Sheet**

SDT-165L\_03E

<b>SECTION 1</b>		<b>CHEMICAL PRODUCT AND COMPANY IDENTIFICATION</b>	
<b>MANUFACTURE'S NAME</b>	<b>TELEPHONE NUMBER</b>	<b>FACSIMILE NUMBER</b>	
GASTEC CORPORATION	+81-467-79-3910	+81-467-79-3979	
<b>ADDRESS</b>			
8-8-6 Fukayanaka, Ayase-City, Kanagawa 252-1195, Japan			
<b>REFERENCE NUMBER</b>		<b>DATE PREPARED</b>	
SDT-165L_03E		May 31, 2006	
<b>PRODUCT NAME</b>	Gas Detector Tube Ethylene Glycol Detector Tube No.165L		
<b>SECTION 2</b>		<b>COMPOSITION/INFORMATION ON INGREDIENTS</b>	
<b>Pretreatment Tube:</b> Porous Silica Gel (0.2g) impregnated with Sulfuric Acid (<1%) in a glass tube.			
<b>Detector Tube:</b> Porous Silica Gel (0.6g) impregnated with Hydroxylamine phosphate (<0.1%) in a glass tube.			
<b>SECTION 3</b>		<b>HAZARDOUS IDENTIFICATION</b>	
Not applicable			
<b>SECTION 4</b>		<b>FIRST AID MEASURES</b>	
Eye contact:	Wash eyes immediately with plenty of water for at least 15 minutes and see a doctor.		
Skin contact:	Wash affected area immediately with soap and plenty of water.		
Inhalation:	Not applicable		
Ingestion:	Rinse mouth immediately and see a doctor.		
<b>SECTION 5</b>		<b>FIRE FIGHTING MEASURES</b>	
None			
<b>SECTION 6</b>		<b>ACCIDENTAL RELEASE MEASURES</b>	
Not applicable			
<b>SECTION 7</b>		<b>HANDLING AND STORAGE</b>	
When breaking off the tube ends, keep away from eyes. Broken glass tubes should not be picked up with bare hands. Tubes should be stored in a refrigerator.			
<b>SECTION 8</b>		<b>EXPOSURE PROTECTION</b>	
Not applicable			
<b>SECTION 9</b>		<b>PHYSICAL AND CHEMICAL PROPERTIES</b>	
Not available			

<b>SECTION 10</b>	<b>STABILITY AND REACTIVITY</b> Not available
<b>SECTION 11</b>	<b>TOXICOLOGICAL INFORMATION</b> Not available
<b>SECTION 12</b>	<b>ECOLOGICAL INFORMATION</b> Not available
<b>SECTION 13</b>	<b>DISPOSAL CONSIDERATION</b> This pretreatment tube doesn't contain any hazardous materials. This detector tube doesn't contain any hazardous materials. Dispose of in accordance with all applicable laws and regulations. (Contact local environmental agency for specific rules.)
<b>SECTION 14</b>	<b>TRANSPORT INFORMATION</b> Breakage of tubes caused by drops, high pressure or bends should be avoided.
<b>SECTION 15</b>	<b>REGULATORY INFORMATION</b> Not applicable
<b>SECTION 16</b>	<b>OTHER INFORMATION</b> No specific notes