

**Technical Information**  
**Material Safety Data Sheet**

SDT-5L\_06E

<b>SECTION 1</b>		<b>CHEMICAL PRODUCT AND COMPANY IDENTIFICATION</b>	
<b>MANUFACTURE'S NAME</b>	<b>TELEPHONE NUMBER</b>	<b>FACSIMILE NUMBER</b>	
GASTEC CORPORATION	+81-467-79-3910	+81-467-79-3979	
<b>ADDRESS</b>			
8-8-6 Fukayanaka, Ayase-City, Kanagawa 252-1195, Japan			
<b>REFERENCE NUMBER</b>		<b>DATE PREPARED</b>	
SDT-5L_06E		April 16, 2009	
<b>PRODUCT NAME</b>	Gas Detector Tube Sulfur Dioxide Detector Tube No. 5L		
<b>SECTION 2</b>		<b>COMPOSITION/INFORMATION ON INGREDIENTS</b>	
Porous Silica Gel (0.2g) impregnated Barium Compound (<5%) in a glass tube.			
<b>SECTION 3</b>		<b>HAZARDOUS IDENTIFICATION</b>	
Not applicable			
<b>SECTION 4</b>		<b>FIRST AID MEASURES</b>	
Eye contact:	Wash eyes immediately with plenty of water for at least 15 minutes and see a doctor.		
Skin contact:	Wash affected area immediately with soap and plenty of water.		
Inhalation:	Not applicable		
Ingestion:	Rinse mouth immediately and see a doctor.		
<b>SECTION 5</b>		<b>FIRE FIGHTING MEASURES</b>	
None			
<b>SECTION 6</b>		<b>ACCIDENTAL RELEASE MEASURES</b>	
Not applicable			
<b>SECTION 7</b>		<b>HANDLING AND STORAGE</b>	
When breaking off the tube ends, keep away from eyes. Broken glass tubes should not be picked up with bare hands. Tubes should be stored in a cool and dark place.			
<b>SECTION 8</b>		<b>EXPOSURE PROTECTION</b>	
Not applicable			
<b>SECTION 9</b>		<b>PHYSICAL AND CHEMICAL PROPERTIES</b>	
Barium Compound:			
Flash point:	Not available		
Autoignition point:	Not available		

---

**SECTION 10 STABILITY AND REACTIVITY**

---

Barium Compound:

Stability: Stable.  
Reactivity: Heat or contact with acids may emit toxic hydrochloric gas. React with water to generate barium sulfate insoluble in water.  
Condition to avoid: Sunlight, Heat  
Hazardous decomposition product: Halide and barium compounds may be formed.

---

**SECTION 11 TOXICOLOGICAL INFORMATION**

---

Barium Compound:

Acute toxicity data: LD50 (orl, rat): 118mg/kg (RTECS)  
LD50 (iv, rat): 20mg/kg (RTECS)  
LD50 (orl, mouse): 150mg/kg (RTECS)  
LD50 (ip, mouse): 56.2mg/kg (RTECS)  
Irritation data: Not available  
Chronic toxicity/ Long-term toxicity: Barium ion irritate to all muscles continuously may cause aberrant muscle contraction or cardiac arrest also cause vomiting, diarrhea and irritate to spinal chord.  
Mutagenicity: Not available  
Carcinogen: Not available

---

**SECTION 12 ECOLOGICAL INFORMATION**

---

Not available

---

**SECTION 13 DISPOSAL CONSIDERATION**

---

This tube does not contain any hazardous materials.  
Dispose of in accordance with all applicable laws and regulations.  
(Contact local environmental agency for specific rules.)

---

**SECTION 14 TRANSPORT INFORMATION**

---

Breakage of tubes caused by drops, high pressure or bends should be avoided.

---

**SECTION 15 REGULATORY INFORMATION**

---

Not applicable

---

**SECTION 16 OTHER INFORMATION**

---

Reasonable care has been taken in the preparation of this information, but the manufacturer makes no warranty of merchantability or any other warranty, expressed or implied, with respect to this information. The manufacturer makes no representations and assumes no liability for any direct, incidental or consequential damages resulting from its use.