

Technical Information
Material Safety Data Sheet

SDT-91P_04E

| | | | |
|---|--|--|--|
| SECTION 1 | | CHEMICAL PRODUCT AND COMPANY IDENTIFICATION | |
| MANUFACTURE'S NAME GASTEC CORPORATION | TELEPHONE NUMBER +81-467-79-3910 | FACSIMILE NUMBER +81-467-79-3979 | |
| ADDRESS 8-8-6 Fukayanaka, Ayase-City, Kanagawa 252-1195, Japan | | | |
| REFERENCE NUMBER SDT-91P_04E | | DATE PREPARED May 31, 2006 | |
| PRODUCT NAME | Gas Detector Tube Formaldehyde Detector Tube No.91P | | |
| SECTION 2 | | COMPOSITION/INFORMATION ON INGREDIENTS | |
| Porous Silica Gel (0.6 g) impregnated with phosphoric acid (<1%) and hydroxylamine phosphate (<0.1%) in a glass tube. | | | |
| SECTION 3 | | HAZARDOUS IDENTIFICATION | |
| Not applicable | | | |
| SECTION 4 | | FIRST AID MEASURES | |
| Eye contact: | Wash eyes immediately with plenty of water for at least 15 minutes and see a doctor. | | |
| Skin contact: | Wash affected area immediately with soap and plenty of water. | | |
| Inhalation: | Not applicable | | |
| Ingestion: | Rinse mouth immediately and see a doctor. | | |
| SECTION 5 | | FIRE FIGHTING MEASURES | |
| None | | | |
| SECTION 6 | | ACCIDENTAL RELEASE MEASURES | |
| Not applicable | | | |
| SECTION 7 | | HANDLING AND STORAGE | |
| When breaking off the tube ends, keep away from eyes. Broken glass tubes should not be picked up with bare hands. Tubes should be stored in a refrigerator. | | | |
| SECTION 8 | | EXPOSURE PROTECTION | |
| Not applicable | | | |
| SECTION 9 | | PHYSICAL AND CHEMICAL PROPERTIES | |
| Not applicable | | | |

| | |
|-------------------|--|
| SECTION 10 | STABILITY AND REACTIVITY Not applicable |
| SECTION 11 | TOXICOLOGICAL INFORMATION Not applicable |
| SECTION 12 | ECOLOGICAL INFORMATION Not applicable |
| SECTION 13 | DISPOSAL CONSIDERATION This tube does not contain any hazardous materials. Dispose of in accordance with all applicable laws and regulations. (Contact local environmental agency for specific rules.) |
| SECTION 14 | TRANSPORT INFORMATION Breakage of tubes caused by drops, high pressure or bends should be avoided. |
| SECTION 15 | REGULATORY INFORMATION Not applicable |
| SECTION 16 | OTHER INFORMATION No specific notes |